














HIGH PRESSURE FRL WITH PRESSURE GAUGE, BRACKET, 40 MICRON FILTER SUITABLE FOR 16 KG/CM2

HIGH PRESSURE LEGRIES TYPE FRL					HIGH PRESSURE FESTO TYPE FRL				
F & R + L  (UFR + L - 04-H)	CODE	SIZE	REMARK	PRICE	F & R + L  (DC - SERIES)	CODE	SIZE	REMARK	PRICE
	HFFRL 212	1/2"	F & R + L SUITABLE FOR 16 KG/CM2 WITH GAUGE, METAL GUARD	3413.00		HPFRL - 209	1/4"	F & R + L SUITABLE FOR 16 KG/CM2 WITH GAUGE, METAL GUARD	2264.00
						HPFRL - 212	1/2"		3767.00
F & R  (UFR - 04-H)			F & R SUITABLE FOR 16 KG/CM2 WITH GAUGE, METAL GUARD	2028.00	 (DFR - SERIES)	HPFR - 09	1/4"	F & R SUITABLE FOR 16 KG/CM2 WITH GAUGE, METAL GUARD	1521.00
	HFFR 12	1/2"				HPFR - 12	1/2"		2256.00
FILTER  (UF - 04-H)			AIR FILTER SUITABLE FOR 16 KG/CM2 WITH METAL GUARD	1255.00	FILTER  (DF - SERIES)	HPAF - 09	1/4"	AIR FILTER SUITABLE FOR 16 KG/CM2 WITH METAL GUARD	811.00
	HFF 12	1/2"				HPAF - 12	1/2"		1370.00
REGULATOR  (UR - 04-H)			AIR REGULATOR SUITABLE FOR 16 KG/CM2 WITH GAUGE	1458.00	REGULATOR  (DR - SERIES)	HPAR - 06	1/4"	AIR REGULATOR SUITABLE FOR 16 KG/CM2 WITH GAUGE	1082.00
	HFR 12	1/2"				HPAR - 12	1/2"		2093.00

SMSN SOLENOID VALVE MADE FROM ACTUL BRASS

	CODE	SIZE	REMARK	PRICE		CODE	SIZE	REMARK	PRICE
	W2006D02	1/4"	BRASS BODY 2/2 DIRECT ACTING BRASS SOLENOID VALVE FOR AIR, WATER, OIL, GAS TEMP - 5 to 60°C	940.00		L170-15	1/2"	2/2 DIRECT ACTING SERVO OPERATED VALVE FOR HOT AIR, WATER, STEAM, GAS TEMP.- -5 to+ 180°C FITTING : VERTICAL POSITION	3370.00
	W2010D04	3/8"		1732.00		L170-20	3/4"		3547.00
						L200-25	1"		3725.00
									
			BRASS BODY 2/2 DIRCT ACTING BRASS SOLENOID VALVE DIAPHRAM TYPE FOR AIR, WATER, OIL TEMP.- 5 to +60°C			S22XD-2L	1/8"	2/2 DIRECT ACTING W. P. 0 TO 8 KG/CM2 FOR AIR, WATER, OIL, GAS	617.00
	W2012D16	1/2"		1960.00				S23XD-2L	1/8"

UNITEK SOLENOID VALVE MADE FROM ZINC WITH BRASS PLATING

















	CODE	SIZE	REMARK	PRICE		CODE	SIZE	REMARK	PRICE
	Z2006D02	1/4"	ZINC BODY 2/2 DIRECT ACTING ZINC SOLENOID VALVE FOR AIR, WATER, OIL, GAS TEMP - 5 to 60°C	532.00		Z2012D16	G1/2"	ZINC BODY 2/2 DIRCT ACTING ZINC SOLENOID VALVE DIAPHRAM TYPE FOR AIR, WATER, OIL TEMP.- 5 to +60°C	1149.00
	Z2010D04	3/8"		931.00		Z2012D20	G3/4"		1368.00
						Z2012D25	G1"		1862.00
									

SmsN

SOLENOID VALVE & PILOT VALVE

W. P. 0 TO 8KG/CM2

(ALSO AVAILABLE WITH 110V AC / 24V DC / 12VDC COIL VOLTAGE)

	ITEM	CODE	SIZE	PRICE		ITEM	CODE	SIZE	PRICE
 (3V - 210 - 06)	3/2 SINGLE SOLENOID VALVE WITH AC220V COIL	V32004SS	1/8"	455.00	(VF - 3130 - 08) 	5/2 SMC TYPE SINGLE SOLENOID VALVE			
		V32006SS	1/4"	455.00			SM52006SS	1/4"	1173.00
		V32010SS	3/8"	759.00					
		V32012SS	1/2"	1243.00					
 (4V - 210 - 06)	5/2 SINGLE SOLENOID VALVE WITH AC220V COIL	V52004SS	1/8"	460.00	(VF - 3230 - 08) 	5/2 SMC TYPE DOUBLE SOLENOID VALVE			
		V52006SS	1/4"	460.00			SM52006DS	1/4"	1724.00
		V52010SS	3/8"	759.00					
		V52012SS	1/2"	1243.00					
 (4V - 220 - 06)	5/2 DOUBLE SOLENOID VALVE WITH AC220V COIL	V52004DS	1/8"	777.00	(3V - 1 - 06) 	3/2 DIRECT ACTING SOLENOID VALVE AC220V	V32004DS	1/8"	396.00
		V52006DS	1/4"	777.00			V32006DS	1/4"	396.00
		V52010DS	3/8"	994.00					
		V52012DS	1/2"	1616.00					
 (4V - 230 - 08)	5/3 DOUBLE SOLENOID VALVE WITH AC220V COIL	V53006DS	1/4"	1242.00	(2V - 025 - 06) 	2/2 DIRECT ACTING SOLENOID VALVE AC220V FOR AIR, WATER, OIL	V2004D25	1/8"	396.00
		V53010DS	3/8"	994.00			V2006D25	1/4"	396.00
		V53012DS	1/2"	1616.00					
 (4A - 210 - 06)	5/2 SINGLE PILOT VALVE	A52006SP	1/4"	435.00	(2P - 025 - 06) 	2/2 DIRECT ACTING PLASTIC BODY VALVE FOR AIR, WATER, OIL, GAS			
		A52010SP	3/8"	497.00			S2P25-06	1/8"	391.00
		A52012SP	1/2"	994.00					
 (4A - 220 - 06)	5/2 DOUBLE PILOT VALVE	A52004DP	1/8"	586.00	(HP - 32 - 08) 	3/2 HIGH PRESSURE SINGLE SOLENOID VALVE (UPTO 24KG/CM2)	SSD23J-08	1/4"	1323.00
		A52006DP	1/4"	586.00			SSD23J-15	1/2"	1897.00
		A52010DP	3/8"	690.00					
		A52012DP	1/2"	1310.00					
 (4V - 210 - 08B)	NAMUR TYPE 5/2 SINGLE SOLENOID VALVE WITH AC220V COIL	M52006SS	1/4"	586.00		COIL WITH LED CONNECTOR FOR 3/2 & 5/2 SOLENOID VALVE I.D. 9MM	CL220 VAC		147.00
		M52012SS	1/2"	1440.00			CL110 VAC		163.00
 (4V - 220 - 08B)	NAMUR TYPE 5/2 DOUBLE SOLENOID VALVE WITH AC220V COIL	M52006DS	1/4"	900.00		MANI FOLD GANG SUITABLE FOR 1/4" 3/2, 5/2 SOLENOID VALVE / PILOT VALVE	S200M 02F	2 Valve	238.00
		M52012DS	1/2"	1793.00			S200M 03F	3 Valve	374.00
							S200M 04F	4 Valve	499.00
							S200M 05F	5 Valve	624.00
							S200M 06F	6 Valve	748.00
							S200M 08F	8 Valve	998.00
							S200M 10F	10 Valve	1247.00



SmsN SINGLE STEEL WIRE BRAIDED HYDRAULIC HOSE

CONFORMS SAE 100 R1 AT / DIN 20022 - 1SN / EN 853- 1SN


CODE	ID (Inch)	ID (mm)			O. D. (mm)	W. P. (Bar)	B. P. (Bar)	Mini Bending radius (mm)	Coil Length	PRICE MTR
		Std. Size	Min	Max						
SR1 - 06	1/4"	6.30	6.20	7.00	14.10	225	900	100	85-110	144.00
SR1 - 13	1/2"	12.50	12.30	13.50	21.40	160	640	180	85-110	-----
SR1 - 16	5/8"	16.00	15.50	16.70	24.50	130	520	200	85-110	253.00
SR1 - 25	1"	25.00	25.00	26.40	36.60	88	350	300	50-60	421.00



SmsN DOUBLE STEEL WIRE BRAIDED HYDRAULIC HOSE

CONFORMS SAE 100 R2 AT / DIN 20022 - 2SN / EN 853-2SN


SR2 - 32	1-1/4"	31.50	31.40	33.00	49.50	125	500	420	20	941.85
----------	--------	-------	-------	-------	-------	-----	-----	-----	----	--------



SmsN FOUR STEEL WIRE BRAIDED SPIRAL HOSE

EXCEED SAE 100 R12 / R13 & CONFORMS TO DIN 20023/EN856 - 4SP - 4SH

4SP - 12	1/2"	12.5	12.30	13.50	25.4	415	1660	230	20	688.00
4SH - 19	3/4"	19.0	18.60	19.80	31.4	420	1680	280	20	-----



THUNDER SPRING HOSE (NON TOXIC, FOOD GRADE)

STRUCTURE : SOFT P.V.C. HOSE WITH EMBEDDED STEEL WIRE REINFORCED. TEMP. RANGE : -10°C to +60°C
 COLOR : CRYSTAL CLEAR TRANSPARENT HOSE FEATURE : IN SIDE & OUT SIDE SMOOTH SURFACE VERY FLEXIBLE & LIGHT IN WEIGHT

CODE	ID MM	OD MM	ID INCH	PRESS. KG/CM ² at 27°C		VACUUM MH ₂ O	VACUUM mmHg	COIL LENGTH MTR	PRICE PER MTR
				W.P.	B.P.				
STWH064	64	76	2-1/2"	5	15	8.0	600	20	910.00
STWH100	102	116	4"	5	15	7.0	500	20	1809.00

SPARE PARTS FOR SOLENOID VALVE

<p>FOR</p>	DESCRIPTION	CODE	SIZE	PRICE	<p>FOR</p>	DESCRIPTION	CODE	SIZE	PRICE
	COMPLETE PISTON WITH TEFLON WASHER & SPRING SUITABLE FOR 2/2 DIRECT ACTING SERVO OPERATED VALVE	L2012D17	1/2"	700.00		COIL W/O COVER AC110V & AC220V & DC24V AVAILABLE 2/2 DIRECT ACTING SERVO OPERATED VALVE	L2012D17	1/2"	910.00
		L2020D17	3/4"	700.00			L2020D17	3/4"	910.00
		L2525D22	1"	700.00			L2525D22	1"	910.00
		L2038D35	1-1/2"	1400.00			L2038D35	1-1/2"	1190.00
L2050D50		2"	1680.00	L2050D50	2"		1190.00		
<p>FOR</p>	COIL W/O COVER AC110V & AC220V & DC24V AVAILABLE 2/2 DIRECT ACTING DIAPHRAM TYPE SOLENOID VALVE	W2006D02	1/4"	280.00	<p>FOR</p>	RUBBER DIAPHRAM SUITABLE FOR 2/2 DIRECT ACTING DIAPHRAM TYPE SOLENOID VALVE	W2012D16	1/2"	280.00
	W2010D04	3/8"	420.00	W2020D20		3/4"	280.00		
	W2012D16	1/2"	420.00	W2025D25		1"	-----		
	W2020D20	3/4"	420.00	W2031D35		1-1/4"	420.00		
	W2025D25	1"	420.00	W2038D40		1-1/2"	420.00		
	W2031D35	1-1/4"	840.00	W2050D50		2"	560.00		
	W2038D40	1-1/2"	840.00						
	W2050D50	2"	840.00						